

TARIC code(s)	Product description
0709530010	#Fresh or chilled chanterelles for treatment other than simple repacking for retail sale#
1517909920	#An edible mixture of animal and vegetable oils consisting of 99 % or more by weight of fish oil exclusively from the species Pacific pollock (Gadus chalcogrammus):### # containing by weight 90 % or more of triglycerides, with 50 % or more by weight of its fatty acids being omega-3 fatty acids, # containing by weight 0,15 % or more but not more than 0,25 % of tocopherols and vegetable oils, # in immediate packing in steel drums of more than 180 kg/net but not more than 200 kg/net, # ###for use in the manufacture of fish oil-based omega-3 supplements in the form of soft gel capsules#
2008994930, 2008900000	#Seedless boysenberry puree not containing added spirit, whether or not containing added sugar#
2008999120	#Chinese water chestnuts (Eleocharis dulcis or Eleocharis tuberosa) peeled, washed, blanched, chilled and individually quick-frozen for use in the manufacture of products of food industry for treatment other than simple repacking#
2009419220, 2009419970	#Pineapple juice:### # not from concentrate, # of the genus Ananas , # of a Brix value of 11 or more but not more than 16, # ###used in the manufacture of products of drink industry#
2841500011	#Potassium dichromate (CAS RN 7778-50-9) with a purity by weight of 99 % or more, for use as intermediate for the production of chrome#
2903691940	#3-(Bromomethyl)pentane (CAS RN 3814-34-4) with a purity by weight of 99 % or more#
2903998015	#4-Bromo-2-chloro-1-fluorobenzene (CAS RN 60811-21-4)#
2904990035	#1-Fluoro-4-nitrobenzene (CAS RN 350-46-9)#
2906290070	#1,2,3,4-Tetrahydro-1-naphthol (CAS RN 529-33-9) with a purity by weight of 95 % or more#
2908190040	#3,4,5-Trifluorophenol (CAS RN 99627-05-1)#
2908190050	#4-Fluorophenol (CAS RN 371-41-5)#
2909309040	#1-Chloro-2,5-dimethoxybenzene (CAS RN 2100-42-7)#
2909309060	#1-Butoxy-2,3-difluorobenzene (CAS RN 136239-66-2)#
2910900040	#[(2 R)-Oxiran-2-yl]methyl 3-nitrobenzenesulphonate (CAS RN 115314-17-5) with a purity by weight of 97 % or more#
2912490040	#3-Hydroxy-p-anisaldehyde (CAS RN 621-59-0)#
2914290045	#4-Propylcyclohexan-1-one (CAS RN 40649-36-3) with a purity by weight of 95 % or more#
2914500020	#3'-Hydroxyacetophenone (CAS RN 121-71-1)#
2915390070	#Dodec-9-enyl acetate (CAS RN 16974-11-1)#

2916200035	#2-Cyclopropylacetic acid (CAS RN 5239-82-7) with a purity by weight of 95 % or more#
2916200045	#Cyclopentanecarboxylic acid (CAS RN 3400-45-1) with a purity by weight of 98 % or more#
2916399016	#3-Fluoro-5-iodo-4-methylbenzoic acid (CAS RN 861905-94-4) with a purity by weight of 97 % or more#
2916399041	#4-Bromo-2,6-difluorobenzoyl chloride (CAS RN 497181-19-8)#
2916399053	#5-Iodo-2-methylbenzoic acid (CAS RN 54811-38-0)#
2916399078	#(2,5-Dibromophenyl)acetic acid (CAS RN 203314-28-7) with a purity by weight of 98,0 % or more#
2917398535	#1-Methyl-2-nitrotterephthalate (CAS RN 35092-89-8)#
2918290040	#3-Hydroxy-4-nitrobenzoic acid (CAS RN 619-14-7) with a purity by weight of more than 96,5 %#
2918300045	#Methyl 5-oxo-6,7,8,9-tetrahydro-5H-benzo[7]annulene-2-carboxylate (CAS RN 150192-89-5) with a purity by weight of 96 % or more#
2918999043	#Vanillic acid (CAS RN 121-34-6) with a purity by weight of 98,5 % or more#
2918999048	#2-Bromo-5-methoxybenzoic acid (CAS RN 22921-68-2) with a purity by weight of 98 % or more#
2921290015	#(2 S)-Propane-1,2-diamine dihydrochloride (CAS RN 19777-66-3) with a purity by weight of 98 % or more#
2921290025	# N,N' -Diallylpropane-1,3-diamine dihydrochloride (CAS RN 205041-15-2) with a purity by weight or 96 % or more#
2922498565	#Diethyl aminomalonate hydrochloride (CAS RN 13433-00-6)#
2924190033	#(2 S)-2-Amino-5-(carbamoylamino)pentanoic acid ; 2-hydroxybutanedioic acid (1:1) (CAS RN 70796-17-7) with a purity by weight of 98,5 % or more#
2924190038	#Diethyl acetamidomalonate (CAS RN 1068-90-2) with a purity by weight of 98 % or more#
2924190043	#N6-(tert -Butoxycarbonyl)-L-lysine methyl ester hydrochloride (CAS RN 2389-48-2) with a purity by weight of 98 % or more#
2924297045	#Propoxur (ISO) (CAS RN 114-26-1)#
2924297078	#5-Amino-3-(4-chlorophenyl)-5-oxopentanoic acid (CAS RN 1141-23-7) with a purity by weight of 98 % or more#
2925199540	# N -Iodosuccinimide (CAS RN 516-12-1) with a purity by weight of 98,5 % or more#
2925290060	#Formamidine acetate (CAS RN 3473-63-0) with a purity by weight of 99 % or more#
2930909511	#Benzyl (2 S)-2-amino-3-[3-(methanesulphonylphenyl)]propanoate hydrochloride (CAS RN 1194550-59-8) with a purity by weight of 98 % or more#

2930909514	#(E)-N'-(2-Cyano-4-(3-(1-hydroxy-2-methylpropan-2-yl)thioureido)phenyl)-N,N-dimethyl-formimidamide (CAS RN 1429755-57-6) with a purity by weight of 98 % or more#
2931900025	#N-(3-(Dimethoxymethylsilyl)propyl)ethylenediamine (CAS RN 3069-29-2) with a purity by weight of 98 % or more#
2932209023	#1,4-Dioxane-2,5-dione (CAS RN 502-97-6) with a purity by weight of 99,5 % or more#
2932990068	#3,9-Diethylidene-2,4,8,10-tetraoxaspiro[5.5]undecane (CAS RN 65967-52-4) with a purity by weight of 98 % or more#
2932990073	#5-Fluoro-3-methylbenzofuran-2-carboxylic acid (CAS RN 81718-76-5) with a purity by weight of 97 % or more#
2932990078	#Methyl 2,2-difluoro-1,3-benzodioxole-5-carboxylate (CAS RN 773873-95-3) with a purity by weight of 98 % or more#
2933199043	#tert-Butyl 2-(3,5-dimethyl-1H-pyrazol-4-yl)acetate (CAS RN 1082827-81-3) with a purity by weight of 95 % or more#
2933299023	#1,1'-Thiocarbonylbis(imidazole) (CAS RN 6160-65-2) with a purity by weight of 95 % or more#
2933399930	#4-Amino-3-(4-phenoxyphenyl)-1-[(3R)-piperidin-3-yl]-1,3-dihydro-2H-imidazo[4,5-c]pyridin-2-one (CAS RN 1971921-35-3) mono oxalate with a purity by weight of the free base of 70 % or more#
2933399983	#2-Hydroxy-4-azoniaspiro[3,5]nonane chloride (CAS RN 15285-58-2) with a purity by weight of 97 % or more#
2933399986	#3-(N-Hydroxycarbamimidoyl)pyridine 1-oxide (CAS RN 92757-16-9) with a purity by weight of 97 % or more#
2933399987	#6-Chloro-N-(2,2-dimethylpropyl)pyridine-3-carboxamide (CAS RN 585544-20-3) with a purity by weight of 97 % or more#
2933491050	#1-Cyclopropyl-6,7,8-trifluoro-1,4-dihydro-4-oxo-3-quinolinecarboxylic acid (CAS RN 94695-52-0)#
2933599521	#N-(2-Oxo-1,2-dihydropyrimidin-4-yl)benzamide (CAS RN 26661-13-2)#
2933599542	#2-Chloropyrimidine (CAS RN 1722-12-9) with a purity by weight of 98 % or more#
2933790070	#(S)- N -[(Diethylamino)methyl]-alpha-ethyl-2-oxo-1-pyrrolidineacetamide L-(+)-tartrate, (CAS RN 754186-36-2)#
2933998054	#3-(Salicyloylamino)-1,2,4-triazole (CAS RN 36411-52-6)#
2933998069	#5-Formyl-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (CAS RN 253870-02-9) with a purity by weight of 96 % or more#### #

2933998070	#5-(Bis-(2-hydroxyethyl)-amino)-1-methyl-1H-benzimidazole-2-butanoic acid ethyl ester (CAS RN 3543-74-6) with a purity by weight of 98 % or more#
2933998076	#2-Methylindoline (CAS RN 6872-06-6) with a purity by weight of 98 % or more#
2933998077	#9-[1,1'-Biphenyl]-3-yl-9'-[1,1'-biphenyl]-4-yl-3,3'-bi-9H-carbazole (CAS RN 1643479-47-3) with a purity by weight of 95 % or more#
2933998080	#Pyrrole-2-carboxaldehyde (CAS RN 1003-29-8) with a purity by weight of 97 % or more#
2934999040	#2,3-Pyrazinedicarboxylic anhydride (CAS RN 4744-50-7) with a purity by weight of 95 % or more#
2934999065	#Benzo[b]thiophen-10-methoxycycloheptanone (CAS RN 59743-84-9) with a purity by weight of 98 % or more#
3204110045	#Preparation of dispersion dyes, containing:### # C.I. Disperse Orange 61 (CAS RN 12270-45-0) or Disperse Orange 288 (CAS RN 96662-24-7), # C.I. Disperse Blue 291:1 (CAS RN 872142-01-3), # C.I. Disperse Violet 93:1 (CAS RN 122463-28-9), # ###whether or not containing C.I. Disperse Red 54 (CAS RN 6657-37-0)#
3808939020	#Preparation consisting of benzyl(purin-6-yl)amine in a glycol solution, containing by weight:### # 1,88 % or more but not more than 2,00 % of benzyl(purin-6-yl)amine # ###of a kind used in plant growth regulators#
3811210012	#Dispersing agent containing :### # esters of polyisobutenyl succinic acid and pentaerythritol (CAS RN 103650-95-9), # 35 % or more but not more than 55 % by weight of mineral oils, and # with a chlorine content of not more than 0,05 % by weight, # ###used in the manufacture of blends of additives for lubricating oils#
3815909080	#Catalyst consisting predominantly of dinonylnaphthalenedisulphonic acid in the form of a solution in isobutanol#
3824999351	#Tris(hydroxymethyl)phosphine oxide (CAS RN 1067-12-5) with a purity by weight of 85 % or more#
3903909065	#Copolymer of styrene with 2, 5-furandione and (1-methylethyl)benzene in the form of flakes or powder (CAS RN 26762-29-8) #
3906909037	#Copolymer of trimethylolpropane trimethacrylate and methyl methacrylate (CAS RN 28931-67-1), in microsphere form with an average diameter of 3 µm#

3907300015	#Epoxide resin, halogen-free,### # containing by weight more than 2 % phosphorus calculated on the solid content, chemically bound in the epoxide resin, # not containing any hydrolysable chloride or containing less than 300 ppm hydrolysable chloride, and # containing solvents, # ###for use in the manufacture of prepreg sheets or rolls of a kind used for the production of printed circuits#
3907300025	#Epoxide resin### # containing by weight 21 % or more of bromine, # not containing any hydrolysable chloride or containing less than 500 ppm hydrolysable chloride, and # containing solvents #
3909400020	#Powder of thermosetting resin in which magnetic particles have been evenly distributed, for use in the manufacture of ink for photocopiers, fax machines, printers and multifunction devices#
3910000065	#Liquid copolymer based on polydimethylsiloxane with terminal epoxide groups CAS RN 2102536-93-4)#
3910000075	#Copolymer of 80 % dimethylsiloxane, 10 % methyl methacrylate and 10 % butyl acrylate in the form of a white powder#
3920104040	#Tubular layered film predominately of polyethylene:### # consisting of a tri-layer barrier with a core layer of ethylene vinyl alcohol covered on either side with a layer of polyamide, covered on either side with at least one layer of polyethylene, # having a total thickness of 55 µm or more, # having a diameter of 500 mm or more but not more than 600 mm #
3920621968, 3920629020	#Poly(ethylene terephthalate) film in rolls:### # with a thickness of 50 µm or more but not more than 350 µm, and # covered with a layer of sputtered precious metal such as gold or palladium with a thickness of 0,02 µm or more but not more than 0,06 µm #
3920992848	#Thermoplastic polyurethane foil in rolls, with:### # a width of 900 mm or more but not more than 1016 mm, # a matt finish, # a thickness of 0,4 mm (± 8 %), # an elongation at break of 480 % or more (ASTM D412 (Die C)), # a tensile strength in machine direction of 470 (± 10) kg/cm ² (ASTM D412 (Die C)), # a Shore A hardness of 90 (± 3) (ASTM D2240), # a tear strength of 100 (± 10) kg/cm ² (ASTM D624 (Die C)), # a melting point of 165°C (± 10 °C) #
4009420020	#Rubber brake hose with:### # textile strings, # a wall thickness of 3,2 mm, # a metal hollow terminal pressed on both ends, and # one or more mounting brackets, # ###for use in the manufacture of goods of Chapter 87#

5403310010	#Continuous viscose rayon filament yarn of 105 dtex or more but not more than 117 dtex, and consisting of 36 monofilaments or more but not more than 40 monofilaments#
7202998010	#Ferro-dysprosium, containing by weight:### # 78 % or more of dysprosium, and # 18 % or more but not more than 22 % of iron #
8413302050	#High-pressure plunger pump for direct diesel injection:### # with an operating pressure of not more than 275 MPa, # designed to contact the crankshaft, # with an electromagnetic valve #
8436990010	#Part containing:### # a single-phase AC motor, # an epicyclic gearing, # a cutter blade, # ###and whether or not containing:### # a capacitor, # a part fitted with a threaded bolt, # ###for use in the manufacture of garden shredders#
8479907040	#Housing of the rotor part of the mechanical unit ensuring the adjustment of movement of the camshaft compared to the crankshaft:### # of a circular shape, # made of steel alloy with sintering process, # with not more than 8 oil chambers, # with a Rockwell hardness of 55 or more, # with a density of 6,5 g/cm ³ , or more, but not more than 6,7 g/cm ³ #
8479907050	#Rotor part of the mechanical unit ensuring the movement of the camshaft compared to the crankshaft:### # with 4 blades that end in grooves, # made of steel alloy with sintering process #
8481309130, 8481309950	#Mechanical check (non-return) valve for opening and closing of the flow of fuel:### # with an operating pressure of not more than 250 MPa, # with a flow rate of 45 cm ³ /minute or more, but not more than 55 cm ³ /minute, # with 4 input holes, each of them with a diameter of 1,2 mm or more, but not more than 1,6 mm, # made of steel #
8483508020	#Pulley blocks of non-cast steel:## made of structural carbon steel complying with standard JIS G4051, with an external diameter of 104 mm or more but not more than 142 mm, with an internal diameter of 33 mm or more but not more than 37 mm, with a width of 22 mm or more but not more than 40 mm, with a weight of 0,4 kg or more but not more than 1,6 kg, with 6 trapezoidal grooves
8508700020, 8537109898	#Electronic circuit cards that:### # are connected by wire or radio frequency to each other and the motor controller card, and # regulate the functioning (switching on or off and suction capacity) of vacuum cleaners according to a stored program, # whether or not fitted with indicators that display the functioning of the vacuum cleaner (suction capacity and/or dust bag full and/or filter full) #

8536699084	#Universal serial bus (USB) socket or plug in a single or multiple form for connecting with other USB devices, for use in the manufacture of goods falling within headings 8521 or 8528#
8537109145	#Main hybrid system controller, diagnosing and controlling the elements of the hybrid propulsion system, with:### # a programmable memory, # a microprocessor, # at least one composite connector, # a voltage of 24 V, # with a length of 350 mm or more but not more than 400 mm, # with a width of 200 mm or more but not more than 250 mm, # with a height of 80 mm or more but not more than 120 mm, # in a metal housing #
8537109835	#Electronic control unit without memory, for a voltage of 12 V, for information exchange systems in vehicles (for connection of audio, telephony, navigation, camera and wireless car service) containing:### # 2 rotary knobs # 27 or more pushbuttons # LED lights # 2 integrated circuits for receiving and sending of control signals via the LIN-bus #
8537109880	#Propulsion Control System with at least:### # a DC/AC inverter, # a power of 190 kW or more but not more than 220 kW, # a high voltage circuits with AC and DC interfaces for connecting a traction motor, generator and energy storage system, # an integral control of all drive motor and generator traction system functions, # a CAN communications interface with System Control Unit, # a liquid cooled system, # a length of 300 mm or more but not more than 950 mm, # a width of 350 mm or more but not more than 600 mm, # a height of 200 mm or more but not more than 350 mm, # a weight of 40 kg or more but not more than 90 kg #
8537109888	#Control panel for car radio and/or navigation control and/or climate unit and heater unit control with:### # electronic passive components, # at least two switches, # LEDs, # at least one connector, # whether or not warning triangle switch, # for a voltage not exceeding 16 V, # ###for use in the manufacture of goods of Chapter 87#
8544300085	#Extension two-core cable with two connectors, containing at least:### # a rubber grommet, # a metal attachment bracket, # ###of a kind used to connect vehicle speed sensors in the manufacture of vehicles of Chapter 87#

8708999728	#A set of Type 4 H2 cylinders, in accordance with the EC 79 standard, consisting of two to eight cylinders on aluminum frames:### # cylinders made of high density polyethylene (HDPE) composite reinforced with a braid of glass and carbon fibers in epoxy resin, # with an operating pressure of not less than 35 MPa, # with a durability declared by the manufacturer of not less than 20 years, # with a cylinder capacity of 180 liters or more but not more than 375 liters, # equipped with a set of solenoid, manual and safety PRD valves, # with a total width of 1 800 mm or more but not more than 2 300 mm, # with a total height of 400 mm or more but not more than 500 mm, # with a total length of 1 200 mm or more but not more than 3 600 mm #
8708999738	#A set of Compressed Natural Gas (CNG) cylinders type CNG-4, in accordance with the ECE R110 standard, consisting of four or five cylinders on aluminum frames:### # made of high density polyethylene (HDPE) composite reinforced with a braid of glass and carbon fibers in epoxy resin, # with an operating pressure of not less than 20 MPa, # with a shelf life declared by the manufacturer of not less than 20 years, # with a cylinder capacity of 315 liters or more but not more than 375 liters, # equipped with a set of solenoid, manual and safety PRD valves, # with a total width of 2 200 mm or more but not more than 2 300 mm, # with a total height of 450 mm or more but not more than 460 mm, # with a total length of 3500 mm or more but not more than 3 600 mm #
8714109010	#Motorcycle fork rod inner tubes:### # of SAE1541 carbon steel, # with a hard chromium layer of 20 µm (+ 15 µm/ – 5 µm), # having a wall thickness of 1,3 mm or more, but not more than 1,6 mm, # having an elongation at break of 15 %, # perforated #
9503007510, 9503009510	#Plastic cable car scale models, whether or not with a motor, for printing#